

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S110	239	"369".clas. and ((remov\$3 cancel\$4 suppress\$4) near3 (wobbl\$3 meander\$3))	US-PGPUB; USPAT	OR	ON	2006/03/22 16:34
S47	98	"369"/\$7.ccls. and ((remov\$3 cancel\$4 suppress\$4) near3 (wobbl\$3 meander\$3))	USPAT	OR	ON	2006/03/22 16:34
S111	66	"369"/\$7.ccls. and ((remov\$3 cancel\$4 suppress\$4) near3 (wobbl\$3 meander\$3)) and (sub\$1beam sub\$1spot ((front lead\$3 preced\$3 sub first second) near3 (spot beam)))	US-PGPUB; USPAT	OR	ON	2006/03/22 16:35
S48	32	"369"/\$7.ccls. and ((remov\$3 cancel\$4 suppress\$4) near3 (wobbl\$3 meander\$3)) and (sub\$1beam sub\$1spot ((front lead\$3 preced\$3 sub first second) near3 (spot beam)))	USPAT	OR	ON	2006/03/22 16:35
S112	38	"369"/\$7.ccls. and ((remov\$3 cancel\$4 suppress\$4) near3 (wobbl\$3 meander\$3)) and (sub\$1beam sub\$1spot ((front lead\$3 preced\$3 sub first second) near3 (spot beam)))	USPAT	OR	ON	2006/03/22 16:40
S113	6	"369"/\$7.ccls. and (((remov\$3 cancel\$4 suppress\$4) near3 (wobbl\$3 meander\$3)) same (subtract\$3 differen\$4)) and (sub\$1beam sub\$1spot ((front lead\$3 preced\$3 sub first second) near3 (spot beam)))	USPAT	OR	ON	2006/03/22 16:41
S114	12	"369"/\$7.ccls. and (((remov\$3 cancel\$4 suppress\$4) near3 (wobbl\$3 meander\$3)) same (subtract\$3 differen\$4 compar\$4)) and (sub\$1beam sub\$1spot ((front lead\$3 preced\$3 sub first second) near3 (spot beam)))	USPAT	OR	ON	2006/03/22 16:45
S116	32	S115 not S114	USPAT	OR	ON	2006/03/22 16:52
S117	46	"369".clas. and (detect\$3 with wobbl\$3 with ((cent\$3 main) near3 (spot beam)))	USPAT	OR	ON	2006/03/22 16:53
S115	44	"369"/\$7.ccls. and (((remov\$3 cancel\$4 suppress\$4) near3 (wobbl\$3 meander\$3)) same (subtract\$3 differen\$4 compar\$4))	USPAT	OR	ON	2006/03/22 16:59

EAST Search History

S118	5	"369"/\$7.ccls. and ((wobbl\$3 meander\$3) with ((main) near3 (beam signal spot)) with (cancel\$4 remov\$3 suppress\$4 subtract\$3 adjust\$4 compensat\$3))	USPAT	OR	ON	2006/03/22 17:01
S61	30	S46 and (defect\$3 near4 (detect\$3 locat\$3 find\$3 determin\$5))	USPAT	OR	ON	2006/03/28 09:07
L1	119	"369".clas. and ((remov\$3 reduc\$4 cancel\$4 compensat\$3) with (wobbl\$3 meander\$3 warbl\$3) with (rf information ((central sub preced\$3 main) near3 (beam spot))))	USPAT	OR	ON	2006/03/28 09:17
L2	21	"369".clas. and ((remov\$3 reduc\$4 cancel\$4 compensat\$3) with (wobbl\$3 meander\$3 warbl\$3) with (rf information ((central sub side preced\$3 main) near3 (beam spot)))) and ((sub side preced\$3 lead\$3 front) near3 (beam spot))	USPAT	OR	ON	2006/03/28 09:32
L4	22	"369".clas. and ((remov\$3 reduc\$4 cancel\$4 compensat\$3) with (wobbl\$3 meander\$3 warbl\$3 pre\$1groove) with (rf hf information ((central sub side preced\$3 main) near3 (beam spot)))) and ((sub side preced\$3 lead\$3 front) near3 (beam spot))	USPAT	OR	ON	2006/03/28 09:33
L3	22	"369".clas. and ((remov\$3 reduc\$4 cancel\$4 compensat\$3) with (wobbl\$3 meander\$3 warbl\$3 pre\$1groove) with (rf information ((central sub side preced\$3 main) near3 (beam spot)))) and ((sub side preced\$3 lead\$3 front) near3 (beam spot))	USPAT	OR	ON	2006/03/28 09:33
S89	84	"369"/\$7.ccls. and (((wobbl\$3 meander\$3) near3 (cancel\$4 remov\$3 filter\$3 extract\$3)) with (rf reproduc\$4))	USPAT	OR	ON	2006/03/28 09:47
L5	309	"369"/\$7.ccls. and (((wobbl\$3 meander\$3) near3 (cancel\$4 remov\$3 filter\$3 extract\$3)) with (rf reproduc\$4))	US-PGPUB; USPAT	OR	ON	2006/03/28 09:47
S86	8	"369"/\$7.ccls. and (((wobbl\$3 meander\$3) near3 ((cancel\$4 remov\$3) hpf (high adj pass adj filter\$3))) with (rf reproduc\$4))	USPAT	OR	ON	2006/03/28 09:48

EAST Search History

S13	12	("369"/\$7 "720"/\$7).ccls. and (((front lead\$3 preced\$3 first sub) near3 (spot beam)) with (defect\$3 near3 (detect\$3 find\$3 determin\$5 locate locating)))	USPAT	OR	ON	2006/03/28 09:48
L7	29	"369"/\$7.ccls. and (((wobbl\$3 meander\$3) near3 ((cancel\$4 remov\$3) hpf (high adj pass adj filter\$3))) with (rf reproduc\$4))	US-PGPUB; USPAT	OR	ON	2006/03/28 09:48
L6	21	("369"/\$7 "720"/\$7).ccls. and (((front lead\$3 preced\$3 first sub) near3 (spot beam)) with (defect\$3 near3 (detect\$3 find\$3 determin\$5 locate locating)))	US-PGPUB; USPAT	OR	ON	2006/03/28 09:48
S91	55	"369"/\$7.ccls. and (((wobbl\$3 meander\$3) near3 component) near4 (remov\$3 suppress\$3 cancel\$4 gain magnitude))	USPAT	OR	ON	2006/03/28 09:49
S85	5	"369"/\$7.ccls. and (((wobbl\$3 meander\$3) near3 ((cancel\$4 remov\$3) hpf (high adj pass adj filter\$3))) with (rf (reproduc\$4 near3 signal)))	USPAT	OR	ON	2006/03/28 09:49
S56	17	"369"/\$7.ccls. and (((remov\$3 cancel\$4 suppress\$4) near3 (wobbl\$3 meander\$3)) with (reproduc\$4 read detect\$3 rf)) with (improv\$6 better\$3 enhanc\$6 clear\$2 quality ratio))	USPAT	OR	ON	2006/03/28 09:49
L10	17	"369"/\$7.ccls. and (((wobbl\$3 meander\$3) near3 ((cancel\$4 remov\$3) hpf (high adj pass adj filter\$3))) with (rf (reproduc\$4 near3 signal)))	US-PGPUB; USPAT	OR	ON	2006/03/28 09:49
L9	45	"369"/\$7.ccls. and (((remov\$3 cancel\$4 suppress\$4) near3 (wobbl\$3 meander\$3)) with (reproduc\$4 read detect\$3 rf)) with (improv\$6 better\$3 enhanc\$6 clear\$2 quality ratio))	US-PGPUB; USPAT	OR	ON	2006/03/28 09:49
L8	140	"369"/\$7.ccls. and (((wobbl\$3 meander\$3) near3 component) near4 (remov\$3 suppress\$3 cancel\$4 gain magnitude))	US-PGPUB; USPAT	OR	ON	2006/03/28 09:49

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	0	(main and (side sub) and beam and spot and preced\$3 and defect\$3 and (boost\$3 fluctuat\$3 chang\$3) and (power intensity) and subtract\$3).clm.	US-PGPUB	OR	ON	2006/03/28 10:05
L12	1	(main and (side sub) and beam and spot and preced\$3 and defect\$3 and (boost\$3 fluctuat\$3 chang\$3) and (power intensity)).clm.	US-PGPUB	OR	ON	2006/03/28 10:05
L13	1	(main and (side sub) and beam and spot and preced\$3 and defect\$3 and (power intensity)).clm.	US-PGPUB	OR	ON	2006/03/28 10:06
L14	1	(main and (side sub) and (beam spot) and preced\$3 and defect\$3 and (power intensity)).clm.	US-PGPUB	OR	ON	2006/03/28 10:06
L15	7	(main and (side sub) and (beam spot) and defect\$3 and (power intensity)).clm.	US-PGPUB	OR	ON	2006/03/28 10:07
L16	3	(main and (side sub) and (beam spot) and defect\$3 and (power intensity) and (preced\$3 lead\$3 front)).clm.	US-PGPUB	OR	ON	2006/03/28 10:07